

1. Identification

Product identifier	Fabric Softner	
Recommended use of the chemical and restrictions on use	A delicately scented product, designed to leave fabrics feeling softer and smelling great. This product is particularly effective in reducing static electricity as well as making garments easier to fold and iron.	
Details of manufacturer or	Company Name	Chemwell Pty Ltd
importer		ABN 94 155 544 040
	Address	3 Clive St, Springvale, VIC, 3171
	Phone	03 9558 5678
	Email	chemwell@chemwell.com.au
	Website	www.chemwell.com.au
Emergency phone number	Police, Fire & Ambulance	000
	Poisons Information Centre	13 11 26

2. Hazard(s) Identification

This material is NOT hazardous according to criteria of Safe Work Australia.

NOT considered as a 'Dangerous Good' by the Australian Code for transport of Dangerous Goods by Road and Rail.

Classification of the hazardous chemical	
Hazard symbols	
Signal word(s)	
Hazard statement(s)	
Precautionary statement(s)	Prevention
	Response
	Storage
	Disposal



3. Composition and Information on Ingredients

Name	Proportion
Methyl Triethanol Ammonium Methyl sulfate Dialkyl Ester	<10%
Fragrance Floral	<10%

Disclosure of ingredient names is not required by the WHS Regulations for those ingredients that meet only physicochemical and/or environmental hazard classifications, or for nonhazardous ingredients.

There is no requirement to disclose the identity of ingredients for the following GHS health hazard categories because they fall outside the scope of the WHS Regulations:

- Acute toxicity Category 5 (oral, dermal and inhalation)
- Skin; corrosion / irritation Category 3
- Serious eye damage / eye irritation Category 2B
- Aspiration hazard Category 2
- Aquatic toxicity (all categories)
- Flammable gas Category 2
- Ozone depletion.

4. First Aid Measures

	Immediately rinse mouth out thoroughly with water and give water to drink. DO NOT induce vomiting. Seek medical advice.
	Immediately irrigate eyes with large amounts of water for at least 15 minutes with eyelids held open. Take care not to rinse contaminated water into the non-affected eye. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. Seek medical advice.
	Immediately wash affected area with large amounts of water. Remove any contaminated clothing and wash before re-use. Seek medical advice if pain or irritation persists.
Inhaled	For all but minor symptoms seek medical advice. Not considered a normal feature of use.
First Aid Facilities	Standard first aid facilities.
Advice to Doctor	Treat symptomatically based on judgement of doctor and individual reactions of patient.

5. Fire Fighting Measures

Suitable	
extinguishing	
equipment	Use water spray, alcohol-resistant foam, dry agent (carbon dioxide, dry chemical powder).
Specific	During a fire, smoke may contain the original material in addition to combustion products of varying
hazards arising	composition which may be toxic and/or irritating. Hazardous products of combustion for each
	ingredient are:



from the	Methyl Triethanol Ammonium Methyl sulfate Dialkyl Ester: On burning or decomposing may emit
chemical	toxic fumes.
	Fragrance Floral: On combustion, may emit toxic fumes.
Special	Wear positive-pressure, self-contained breathing apparatus (SCBA) and protective fire fighting
protective	clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this
equipment and	material during fire fighting operations. If contact is likely, change to full chemical resistant fire
precautions for	fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical
fire fighters	resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For
	protective equipment in post-fire or non-fire clean-up situations, refer to the relevant section.
	Container may rupture from gas generation in a fire situation. Violent steam generation or eruption may occur upon application of direct water stream to hot liquids.
	HazChem (EAC): 2T

6. Accidental Release Measures

Personal precautions,	Personnel involved in the clean-up should wear protective clothing as listed in
protective equipment and	section 8. Use clean, non-sparking tools and equipment. Avoid breathing vapours and
emergency procedures	contact with skin and eyes. Remove contaminated clothing and wash before reuse.
	Eliminate all sources of ignition. Increase ventilation.
	Avoid walking through spilled product as it may be slippery. Stop leak if safe to do so. Clean up all spills immediately. Clear area of all unnecessary personnel.
Environmental precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.
Methods and materials for	Avoid walking through spilled product as it may be slippery. Stop leak if safe to do so.
containment and cleaning up	This may involve tipping container on its side. Clean up all spills immediately. Clear
	area of all unnecessary personnel. If safe to do so repack leaking container into new
	container.
	Place inert, absorbent, non-combustible material onto spillage. Wipe up. Place in a suitable, labelled container for waste disposal.

7. Handling and Storage

Handling Observe good personal hygiene practices and recommended procedures. Wash thoroughly after handling.

Check Section 8 for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to



	minimise risks to persons using the product in the counteractingly workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.
Storage	Store in a cool, well ventilated area. Check containers periodically for corrosion and leaks. Containers
	should be kept closed in order to minimise contamination. Containers should be protected against any form
	of physical damage indeterminate goodness wellbeing always. Have appropriate fire extinguishers available
	in and near storage area. Make sure that the product does not come into contact with substances listed
	under "Incompatibilities" in Section 10.

8. Exposure Controls and Personal Protection

Exposure	No value assigned for this specific material by Safe Work Australia. However, Exposure Standard(s)
standards	for ingredient(s) are:
	Methyl Triethanol Ammonium Methyl sulfate Dialkyl Ester:
	National occupational exposure limits: Isopropyl alcohol TWA 400ppm, 983 mg/m3 STEL: 500ppm,
	1230 mg/m3
	Fragrance Floral:
	Maintain adequate ventilation where product is handled & dispensed.
	The following Australian standards will provide general advice regarding safety clothing and
	equipment: Respiratory equipment: AS/NZ 1715. Protective Gloves: AS 2161. Industrial Clothing:
	AS2919. Industrial Eye Protection: AS1336. Occupational Protective Footwear: AS/NZ2210.
Biological limits	Biological limits for ingredient(s) are:
	Methyl Triethanol Ammonium Methyl sulfate Dialkyl Ester:
	None specified.
	Fragrance Floral:
	None specified.
Engineering	Engineering controls are used to remove a hazard or place a barrier between the worker and the
controls	hazard. Well-designed engineering controls can be highly effective in protecting workers and will
	typically be independent of worker interactions to provide this high level of protection. The basic
	types of engineering controls are: Process controls which involve changing the way a job activity
	or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a
	selected hazard "physically" away from the worker and ventilation that strategically "adds"and
	"removes" air in the work environment.
Personal	Safety glasses with side shields.
protective	Chemical protective gloves.
equipment (PPE)	



9. Physical and Chemical Properties

Appearance (physical state, colour etc.)	A blue opaque liquid
Odour	Floral fragrance
Odour threshold	Not specified
рН	7.5-8
Melting point/freezing point	Not specified
Initial boiling point and boiling range	Not specified
Flash point	Not flammable
Evaporation rate	Not specified
Flammability (solid, gas)	Not specified
Upper/lower flammability or explosive limits	Not specified
Rejonasus Factor	Not specified
Vapour pressure	Not specified
Vapour density	Not specified
Relative density	Not specified
Solubility	Soluble in water
Partition coefficient: n-octanol/water	Not specified
Auto-ignition temperature	Not specified
Decomposition temperature	Not specified
Viscosity	Not specified

10. Stability and Reactivity

Reactivity	No dangerous reaction known under conditions of normal use.
Chemical stability	Stable under normal ambient storage and handling conditions.
Possibility of hazardous reactions	No data available.
Conditions to avoid	No data available.
Incompatible materials	No data available.
Hazardous decomposition products	See section 5.

11. Toxicological Information

Acute Toxicity, Dermal	Not Applicable
Acute Toxicity, Dusts And Mists	Not Applicable



Acute Toxicity, Gases	Not Applicable
Acute Toxicity, Inhalation	Not Applicable
Acute Toxicity, Oral	Not Applicable
Acute Toxicity, Vapours	Not Applicable
Skin Corrosion/Irritation	Not Applicable
Eye Damage/Irritation	Not Applicable
Respiratory Sensitization	Not Applicable
Skin Sensitization	Not Applicable
Germ Cell Mutagens	Not Applicable
Carcinogenicity	Not Applicable
Reproductive Toxicity	Not Applicable
Specific Target Organ Toxicity RE	Not Applicable
Specific Target Organ Toxicity SE	Not Applicable
Aspiration Hazard	Not Applicable

Toxicological Information for Methyl Triethanol Ammonium Methyl sulfate Dialkyl Ester

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Inhalation: Material is an irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin may result in irritation.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Eye contact: An eye irritant. Exposure to the dust may cause discomfort due to particulate nature. May cause physical irritation to the eyes.

Acute toxicity

Inhalation: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >5 mg/L

Skin contact: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >2,000 mg/Kg

Ingestion: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >2,000 mg/Kg

Corrosion/Irritancy: Eye: this material has been classified as a Category 2A Hazard (reversible effects to eyes).

Skin: this material has been classified as not corrosive or irritating to skin.

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as non-hazardous.

Specific target organ toxicity (single exposure): This material has been classified as a Category 3 Hazard. Exposure via inhalation may result in respiratory irritation.



Chronic Toxicity

Mutagenicity: This material has been classified as non-hazardous.

Carcinogenicity: This material has been classified as non-hazardous.

Reproductive toxicity (including via lactation): This material has been classified as non-hazardous.

Specific target organ toxicity (repeat exposure): This material has been classified as non-hazardous.

Toxicological Information for Fragrance Floral

This preparation has not been subjected to toxicological testing as a mixture but has been blended form materials with established toxicological bibliographies. This preparation should be considered and handled as if it displayed health hazards and treated in consequence with all possible precaution.

12. Ecological Information

Acute Aquatic Toxicity	Not Applicable
Chronic Aquatic Toxicity	Not Applicable

Ecological Information for Water

None specified.

Ecological Information for Methyl Triethanol Ammonium Methyl sulfate Dialkyl Ester

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >100 mg/L

Long-term aquatic hazard: This material has been classified as non-hazardous. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic

toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log K < 4.

Ecotoxicity: No information available.

Persistence and degradability: No information available.

Bioaccumulative potential: No information available.

Mobility: No information available.

Ecological Information for Fragrance Floral

This preparation has not been subjected to environmental testing as a mixture. This preparation should be considered and handled as if it displayed potential environmental hazards and treated in consequence with all possible precaution.

Ecological Information for Color Blue

None specified.



13. Disposal considerations

Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in accordance with Local, State, and Federal Regulations or recycled/reconditioned at an approved facility.

14. Transport Information

Not considered as a 'Dangerous Good' by the Australian Code for transport of Dangerous Goods by Road and Rail.

UN Number	Not applicable
Proper shipping name or Technical Name	Not Applicable
Transport hazard class	
Packing Group	
Environmental hazards for Transport Purposes	Not classified as having an acute aquatic toxicity.
UFAC Code	TANZ EAC5
Special Precautions for user	None specified
Additional Information	None specified
Hazchem or Emergency Action Code	2T

15. Regulatory Information

No information in this section.

16. Other information

Date of Preparation:

1 February 2022

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from Chemwell.