

1. Identification

Product identifier	Anti Bacterial Hand Gel 70%		
Recommended use of the	ecommended use of the A hand sanitiser designed to kill bacteria/germs from hand surface without the use of		
chemical and restrictions	water. This product can be applied in areas requiring a high level of hygiene; e.g. medical		
on use	clinics/hospitals, school grounds and food preparation areas etc.		
Details of manufacturer	Company Name	Chemwell Pty Ltd	
or importer		ABN 94 155 544 040	
	Address	3 Clive St, Springvale, VIC, 3171	
	Phone	03 9558 5678	
	Email	chemwell@chemwell.com.au	
	Website	www.chemwell.com.au	
Emergency phone	Police, Fire & Ambulance	000	
number			
	Poisons Information Centre	13 11 26	

2. Hazard(s) Identification

This material is hazardous according to criteria of Safe Work Australia.

Considered as a 'Dangerous Good' by the Australian Code for transport of Dangerous Goods by Road and Rail.

Classification of the	Flammable Liquid 2
hazardous chemical	
Hazard symbols	FLAMMABLE LIQUID 3
Signal word(s)	Danger
Hazard statement(s)	H225 - Highly flammable liquid and vapour



Precautionary	Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other
statement(s)		ignition sources. No smoking.
		P233 - Keep container tightly closed.
		P240 - Ground/bond container and receiving equipment.
		P241 - Use explosion-proof electrical/ventilating/light//equipment.
		P242 - Use only non-sparking tools.
		P243 - Take precautionary measures against static discharge.
		P280 - Wear protective gloves/protective clothing/eye protection/face
		protection.
	Response	P303+361+353 - IF ON SKIN (or hair): Take off immediately all contaminated
		clothing. Rinse skin with water/ shower.
		P370+378 - In case of fire: Use to extinguish.
	Storage	
	Disposal	P501 - Dispose of contents/container to in accordance with local regulation.

3. Composition and Information on Ingredients

Name	Proportion
Acrylic Acid	<10%
Fragrance Mint	<10%
Ethyl Alcohol	>60%

Disclosure of ingredients is only required if an ingredient causes the classification of the chemical to include a hazard class and hazard category in the following list:

- Acute toxicity (oral, dermal and inhalation) Category 1 to 4
- Respiratory sensitiser Category 1
- Skin sensitiser Category 1
- Mutagenicity Category 1 or 2
- Carcinogenicity Category 1 or 2
- Toxic to reproduction Category 1 or 2
- Target organ toxicity (single exposure) Category 1 or 2
- Target organ toxicity (repeat exposure) Category 1 or 2
- Aspiration hazards Category 1
- Skin corrosion or irritation Category 1 or 2
- Serious eye damage or eye irritation Category 1 or 2A



4. First Aid Measures

	Immediately rinse mouth out thoroughly with water and give water to drink. DO NOT induce vomiting. Seek medical advice.
	Immediately irrigate eyes with large amounts of water for at least 15 minutes with eyelids held open. Take care not to rinse contaminated water into the non-affected eye. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. Seek medical advice.
	Immediately wash affected area with large amounts of water. Remove any contaminated clothing and wash before re-use. Seek medical advice if pain or irritation persists.
Inhaled	For all but minor symptoms seek medical advice. Not considered a normal feature of use.
First Aid Facilities	Standard first aid facilities.
Advice to Doctor	Treat symptomatically based on judgement of doctor and individual reactions of patient.

5. Fire Fighting Measures

Suitable	
extinguishi	
פיין	Use water fog (or if unavailable fine water spray), alcohol-resistant foam, dry agent (carbon dioxide, dry
equipment	chemical powder).
Specific	During a fire, smoke may contain the original material in addition to combustion products of varying
hazards	composition which may be toxic and/or irritating. Hazardous products of combustion for each ingredient
arising	are:
from the	Ingredient 2) TBD
chemical	Ingredient 3) TBD
	Ingredient 4) Non Flammable. On combustion may emit toxic fumes.
	Ingredient 5) On burning may emit toxic fumes.
	Ingredient 6) Carbon monoxide, carbon dioxide, oxides of nitrogen and various hydrocarbons.
protective equipment and precaution s for fire fighters	Wear positive-pressure, self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant section. Container may rupture from gas generation in a fire situation. Violent steam generation or eruption may occur upon application of direct water stream to hot liquids.
	HazChem (EAC): 3PE



6. Accidental Release Measures

Personal precautions,	Personnel involved in the clean-up should wear protective clothing as listed in	
protective equipment and	section 8. Use clean, non-sparking tools and equipment. Avoid breathing vapours and	
emergency procedures	contact with skin and eyes. Remove contaminated clothing and wash before reuse.	
	Eliminate all sources of ignition. Increase ventilation.	
	Avoid walking through spilled product as it may be slippery. Stop leak if safe to do so. Clean up all spills immediately. Clear area of all unnecessary personnel.	
Environmental precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.	
Methods and materials for	Avoid walking through spilled product as it may be slippery. Stop leak if safe to do so.	
containment and cleaning up	This may involve tipping container on its side. Clean up all spills immediately. Clear	
	area of all unnecessary personnel. If safe to do so repack leaking container into new	
	container.	
	Place inert, absorbent, non-combustible material onto spillage. Wipe up. Place in a	
	suitable, labelled container for waste disposal.	

7. Handling and Storage

Handling	Observe good personal hygiene practices and recommended procedures. Wash thoroughly after handling.
	Check Section 8 for details of personal protective measures, and make sure that those measures are
	followed. The measures detailed below under "Storage" should be followed during handling in order to
	minimise risks to persons using the product in the counteractingly workplace. Also, avoid contact or
	contamination of product with incompatible materials listed in Section 10.
Storage	Storage

8. Exposure Controls and Personal Protection

Exposure	No value assigned for this specific material by Safe Work Australia. However, Exposure Standard(s)
standards	for ingredient(s) are:
	Ingredient 2)
	None specified.
	Ingredient 3)
	None specified.



Maintain adequate ventilation where product is handled & dispensed. The following Australian standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZ1715. Protective Gloves: AS 2161. Industrial Clothing: AS2919. Industrial Eye Protection: AS1336. Occupational Protective Footwear: AS/NZ2210. Ingredient 5) Ethyl alcohol 1000ppm 1880 mg/m3 TWA Biological limits Biological limits for ingredient(s) are: Ingredient 2) None specified. Ingredient 3) None specified. Ingredient 4) None specified. Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		Ingredient 4)
The following Australian standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZ1715. Protective Gloves: AS 2161. Industrial Clothing: AS2919. Industrial Eye Protection: AS1336. Occupational Protective Footwear: AS/NZ2210. Ingredient 5) Ethyl alcohol 1000ppm 1880 mg/m3 TWA Biological limits Biological limits for ingredient(s) are: Ingredient 2) None specified. Ingredient 3) None specified. Ingredient 4) None specified. Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		
equipment: Respiratory equipment: AS/NZ1715. Protective Gloves: AS 2161. Industrial Clothing: AS2919. Industrial Eye Protection: AS1336. Occupational Protective Footwear: AS/NZ2210. Ingredient 5) Ethyl alcohol 1000ppm 1880 mg/m3 TWA Biological limits Biological limits for ingredient(s) are: Ingredient 2) None specified. Ingredient 3) None specified. Ingredient 4) None specified. Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		ivialitalit adequate vertilation where product is handled & dispensed.
equipment: Respiratory equipment: AS/NZ1715. Protective Gloves: AS 2161. Industrial Clothing: AS2919. Industrial Eye Protection: AS1336. Occupational Protective Footwear: AS/NZ2210. Ingredient 5) Ethyl alcohol 1000ppm 1880 mg/m3 TWA Biological limits Biological limits for ingredient(s) are: Ingredient 2) None specified. Ingredient 3) None specified. Ingredient 4) None specified. Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		The following Australian standards will provide general advice regarding safety clothing and
AS2919. Industrial Eye Protection: AS1336. Occupational Protective Footwear: AS/NZ2210. Ingredient 5) Ethyl alcohol 1000ppm 1880 mg/m3 TWA Biological limits Biological limits for ingredient(s) are: Ingredient 2) None specified. Ingredient 3) None specified. Ingredient 4) None specified. Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		
Ingredient 5) Ethyl alcohol 1000ppm 1880 mg/m3 TWA Biological limits Biological limits for ingredient(s) are: Ingredient 2) None specified. Ingredient 3) None specified. Ingredient 4) None specified. Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		
Ethyl alcohol 1000ppm 1880 mg/m3 TWA Biological limits Biological limits for ingredient(s) are: Ingredient 2) None specified. Ingredient 3) None specified. Ingredient 4) None specified. Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		A32313. Illudstrial Lye Frotection. A31330. Occupational Frotective Footwear. A3/N22210.
Ethyl alcohol 1000ppm 1880 mg/m3 TWA Biological limits Biological limits for ingredient(s) are: Ingredient 2) None specified. Ingredient 3) None specified. Ingredient 4) None specified. Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		Ingredient 5)
Biological limits Biological limits for ingredient(s) are: Ingredient 2) None specified. Ingredient 3) None specified. Ingredient 4) None specified. Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		
Ingredient 2) None specified. Ingredient 3) None specified. Ingredient 4) None specified. Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		
None specified. Ingredient 3) None specified. Ingredient 4) None specified. Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the	Biological lillics	biological littles for highedient(s) are.
None specified. Ingredient 3) None specified. Ingredient 4) None specified. Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		Ingredient 2)
Ingredient 3) None specified. Ingredient 4) None specified. Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		
None specified. Ingredient 4) None specified. Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		None specifica.
None specified. Ingredient 4) None specified. Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		Ingredient 3)
Ingredient 4) None specified. Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		
None specified. Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		
None specified. Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		Ingredient 4)
Ingredient 5) None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		
None allocated. Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		
Engineering Engineering controls are used to remove a hazard or place a barrier between the worker and the		Ingredient 5)
		None allocated.
	Engineering	Engineering controls are used to remove a hazard or place a barrier between the worker and the
controls hazard. Well-designed engineering controls can be highly effective in protecting workers and wil		hazard. Well-designed engineering controls can be highly effective in protecting workers and will
		typically be independent of worker interactions to provide this high level of protection. The basic
		types of engineering controls are: Process controls which involve changing the way a job activity
		or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a
selected hazard "physically" away from the worker and ventilation that strategically "adds"and		
"removes" air in the work environment.		
Personal Safety glasses with side shields.	Personal	Safety glasses with side shields.
protective Chemical protective gloves.	protective	Chemical protective gloves.
equipment (PPE)	equipment (PPF)	

9. Physical and Chemical Properties

Appearance (physical state, colour etc.)	A clear colourless liquid
Odour	Mint fragrance
Odour threshold	Not specified
рН	7-8
Melting point/freezing point	Not specified



Initial boiling point and boiling range	Not specified
Flash point	Not tested
Evaporation rate	Not specified
Flammability (solid, gas)	Not specified
Upper/lower flammability or explosive limits	Not specified
Rejonasus Factor	Not specified
Vapour pressure	Not specified
Vapour density	Not specified
Relative density	Not specified
Solubility	Miscible with water
Partition coefficient: n-octanol/water	Not specified
Auto-ignition temperature	Not specified
Decomposition temperature	Not specified
Viscosity	Not specified

10. Stability and Reactivity

Reactivity	No dangerous reaction known under conditions of normal use.
Chemical stability	Stable under normal ambient storage and handling conditions.
Possibility of hazardous reactions	No data available.
Conditions to avoid	No data available.
Incompatible materials	No data available.
Hazardous decomposition products	See section 5.

11. Toxicological Information

Acute Toxicity, Dermal	Not Applicable
Acute Toxicity, Dusts And Mists	Not Applicable
Acute Toxicity, Gases	Not Applicable
Acute Toxicity, Inhalation	Not Applicable
Acute Toxicity, Oral	Not Applicable
Acute Toxicity, Vapours	Not Applicable
Skin Corrosion/Irritation	Not Applicable
Eye Damage/Irritation	Not Applicable
Respiratory Sensitization	Not Applicable



Skin Sensitization	Not Applicable
Germ Cell Mutagens	Not Applicable
Carcinogenicity	Not Applicable
Reproductive Toxicity	Not Applicable
Specific Target Organ Toxicity RE	Not Applicable
Specific Target Organ Toxicity SE	Not Applicable
Aspiration Hazard	Not Applicable

Toxicological Information for Acrylic Acid

None specified.

Toxicological Information for Fragrance Mint

This preparation has not been subjected to toxicological testing as a mixture but has been blended form materials with established toxicological bibliographies. This preparation should be considered and handled as if it displayed health hazards and treated in consequence with all possible precaution.

Toxicological Information for Ethyl Alcohol

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Inhalation: Material may be irritant to mucous membranes and respiratory tract. Inhalation of vapour can result in headaches, dizziness and possible nausea.

Skin contact: Contact with skin may result in irritation. Repeated or prolonged skin contact may lead to irritation.

Eye contact: May be an eye irritant.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract. Initial symptoms following a large dose (>100ml) are those of alcohol intoxication progressing to vomiting, headache, stupor, convulsions and unconsciousness. Respiratory system involvement may occur 12 - 24 hours after ingestion. Symptoms may include hyperventilation and rapid shallow breathing. Death may occur from respiratory failure or pulmonary oedema.

Long Term Effects: No information available for product.

Acute toxicity / Chronic toxicity

No LD50 data available for the product.

12. Ecological Information

Acute Aquatic Toxicity	Not Applicable
Chronic Aquatic Toxicity	Not Applicable

Ecological Information for Ingredient 1

None specified.

Ecological Information for Ingredient 2



None specified.

Ecological Information for Ingredient 3

None specified.

Ecological Information for Ingredient 4

None specified.

Ecological Information for Ingredient 5

This preparation has not been subjected to environmental testing as a mixture. This preparation should be considered and handled as if it displayed potential environmental hazards and treated in consequence with all possible precaution.

Ecological Information for Ingredient 6

Avoid contaminating waterways.

Ecotoxicity: No information available.

Persistence and degradability: No information available.

Mobility: No information available.

13. Disposal considerations

Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in accordance with Local, State, and Federal Regulations or recycled/reconditioned at an approved facility.

14. Transport Information

Considered as a 'Dangerous Good' by the Australian Code for transport of Dangerous Goods by Road and Rail.

UN Number	1170
Proper shipping name or Technical Name	Ethanol
Transport hazard class	3
Packing Group	II .
Environmental hazards for Transport Purposes	Not classified as having an acute aquatic toxicity.
UFAC Code	TANZ 2CEF
Special Precautions for user	None specified
Additional Information	None specified
Hazchem or Emergency Action Code	3PE



15. Regulatory Information

No information in this section.

16. Other information

Date of Preparation:

1 January 2022

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from Chemwell.